Author Index of Vol. 60

Aguayo AJ, see Gage FH, et al. 584
Armstrong-James M, Caan AW, Fox K: Threshold effects of N-methyl D-asparte (NMDA) and 2-amino 5-phosphono valeric acid (2APV) on the spontaneous activity of neocortical single neurones in the urethane anaesthetised rat . . . 209
Bicknell RJ, Chapman C, Leng G: Neurohypophysial opioids and oxytocin secretion: source of inhibitory opioids 192
Biguer B, see Joseph JP, et al. 375
Bishop PO, see Camarda RM, et al. 136, 151
Bishop PO, see Yamane S, et al. 200
Björklund A, see Brundin P, et al. 204
Björklund A, see Foster GA, et al. 427
Björklund A, see Gage FH, et al. 584
Boussaoud D, see Joseph JP, et al. 375
Brauer K, see Winkelmann E, et al. 527
Brauth SE, see Winterson BJ 215
Brown S, see Cooke JD, et al. 184
Brundin P, Nilsson OG, Gage FH, Björklund A: Cyclosporin A increases survival of cross-species intrastriatal grafts of embryonic dopamine-containing neurons 204
Bryant HJ, see Patrickson JW, et al. 227
Butler WM, see Sabel BA, et al. 27
Caan AW, see Armstrong-James M, et al. 209
Caelli T, see Weiss C, et al. 279
Camarda RM, Peterhans E, Bishop PO: Spatial organization of subregions in receptive fields of simple cells in cat striate cortex as revealed by stationary flashing bars and moving edges 136
Camarda RM, Peterhans E, Bishop PO: Simple cells in cat striate cortex: responses to stationary flashing and to moving light bars 151
Carlstedt T, see Gage FH, et al. 584
Cavallari P, Fournier E, Katz R, Malmgren K, Pierrot-Deseilligny E, Shindo M: Cutaneous facilitation of transmission in 1b reflex pathways in the human upper limb . . . 197
Chamberlain SC, see Frisina RD, et al. 417
Chapman C, see Bicknell RJ, et al. 192
Chodobski A, see Królicki L, et al. 551
Choulli K, see Herman J-P, et al. 521
Cleland BG, see Crewther SG, et al. 1
Cooke JD, Brown S, Forget R, Lamarre Y: Initial agonist burst duration changes with movement amplitude in a deafferented patient 184
Crewther DP, see Crewther SG, et al. 1
Crewther SG, Crewther DP, Cleland BG: Convergent strabismic amblyopia in cats 1
Cuello AC, see Foster GA, et al. 427
Denier van der Gon JJ, see Sittig AC, et al. 407, 445
Dietrichs E, Haines DE, Qvist H: Indirect hypothalamocerebellar pathway? Demonstration of hypothalamic efferents to the lateral reticular nucleus 483
Dufossé M, Hugon M, Massion J: Postural forearm changes induced by predictable in time or voluntary triggered unloading in man 330
Dunbar GL, see Sabel BA, et al. 27
Dykes RW, see Landry P 289
Ebendal T, see Strömberg I, et al. 335
Elberger AJ, see Timney B, et al. 19
Elekes K, Szabo T: Synaptology of the medullary command (pacemaker) nucleus of the weakly electric fish, *Apteronotus leptorhynchus*, with particular reference to comparative aspects 509
Finkelstein DI, see Hatcher DD, et al. 590
Fisk JD, Goodale MA: The organization of eye and limb movements during unrestricted reaching to targets in contralateral and ipsilateral visual space 159
Forget R, see Cooke JD, et al. 184
Foster G, see Gage FH, et al. 584
Foster GA, Schultzberg M, Gage FH, Björklund A, Hökfelt T, Nornes H, Cuello AC, Verhofstad AAJ, Visser TJ: Transmitter expression and morphological development of embryonic medullary and mesencephalic raphé neurones after transplantation to the adult rat central nervous system. I. Grafts to the spinal cord 427
Fournier E, see Cavallari P, et al. 197
Fox K, see Armstrong-James M, et al. 209
Frisina RD, Smith RL, Chamberlain SC: Differential encoding of rapid changes in sound amplitude by second-order auditory neurons 417
Gabor AJ, see Kan PLE van, et al. 559
Gage FH, Stenevi U, Carlstedt T, Foster G, Björklund A, Aguayo AJ: Anatomical and functional consequences of grafting mesencephalic neurons into a peripheral nerve "bridge" connected to the denervated striatum 584
Gage FH, see Brundin P, et al. 204
Gage FH, see Foster GA, et al. 427
Garey LJ, see Winkelmann E, et al. 527
Gawryszewski LG, see Ramôa AS, et al. 576
Gielen CCAM, see Sittig AC, et al. 407, 445
Giolli RA, see Gregory KM 501
Glickstein M, see Yeo CH, et al. 87, 99, 114
Goodale MA, see Fisk JD 159
Gregory KM, Giolli RA: The dendritic architecture of the medial terminal nucleus of the accessory optic system in the rat, rabbit, and cat 501
Guéritaud JP, Horcholle-Bossavit G, Jami L, Thiesson D, Tyc-Dumont S: Resistance to glycogen depletion of motor units in the cat rectus lateralis muscle 542
Haines DE, see Dietrichs E, et al. 483
Hammond P, see Smith AT 71
Hammond P, Mouat GSV, Smith AT: Motion after-effects in cat striate cortex elicited by moving gratings 411
Hardiman MJ, see Yeo CH, et al. 87, 99, 114
Hatcher DD, Luff AR, Westerman RA, Finkelstein DI: Contractile properties of cat motor units enlarged by motoneurone sprouting 590
Hayama T, Ito S, Ogawa H: Responses of solitary tract nucleus neurons to taste and mechanical stimulations of the oral cavity in decerebrate rats 235
Henschen A, Hoffer B, Olson L: Spinal cord grafts in oculo: survival, growth, histological organization and electrophysiological characteristics 38
Herman J-P, Choulli K, Le Moal M: Hyper-reactivity to amphetamine in rats with dopaminergic grafts 521
Herness MS: The cathodal OFF response of electric taste in rats 318
Herrera-Marschitz M, see Strömberg I, et al. 335
Higashima M, see Sawada S, et al. 323
Hilz R, see Rentschler I 270
Hoffer B, see Henschen A, et al. 38
Hökfelt T, see Foster GA, et al. 427
Horcholle-Bossavit G, see Guéritaud JP, et al. 542
Hugon M, see Dufossé M, et al. 330
Hvalby Ø, see Storm J 10
Inagaki S, see Yamano M, et al. 535

Ito S, see Hayama T, et al. 235
Itoh K, see Takada M, et al. 385
Jami L, see Guéritaud JP, et al. 542
Joseph JP, Boussaoud, D, Biguer B: Activity of neurons in the cat substantia nigra pars reticulata during drinking . . . 375
Kaderkaro M, see Patrickson JW, et al. 227
Kálmán M: Effect of calcium on Na-K-ATPase activity in depolarized rat cortical synaptosomes as determined on the basis of oxygen consumption 380
Kan PLE van, Scobey RP, Gabor AJ: Response covariance in cat visual cortex 559
Katz R, see Cavallari P, et al. 197
Kehl SJ, McLennan H: An electrophysiological characterization of inhibitions and postsynaptic potentials in rat hippocampal CA3 neurones in vitro 299
Kehl SJ, McLennan H: A pharmacological characterization of chloride- and potassium-dependent inhibitions in the CA3 region of the rat hippocampus in vitro 309
King AJ, Palmer AR: Integration of visual and auditory information in bimodal neurones in the guinea-pig superior colliculus 492
Kita H, Kita T, Kitai ST: Active membrane properties of rat neostriatal neurons in an in vitro slice preparation 54
Kita H, Kita T, Kitai ST: Regenerative potentials in rat neostriatal neurons in an in vitro slice preparation 63
Kita T, see Kita H, et al. 54, 63
Kitai ST, see Kita H, et al. 54, 63
Kito S, see Yamano M, et al. 535
Królicki L, Chodobski A, Skolasińska K: The effect of stimulation of the reticulo-hypothalamic-hippocampal systems on the cerebral blood flow and neocortical and hippocampal electrical activity in cats 551
Kuchiiwa S, Kuchiiwa T, Matsue H, Sukekawa K: Efferent connections of area 20 in the cat: HRP-WGA and autoradiographic studies 179
Kuchiiwa T, see Kuchiiwa S, et al. 179
Kurata K, Okano K, Tanji J: Distribution of neurons related to a hindlimb as opposed to forelimb movement in the monkey premotor cortex 188
Kurata K, see Tanji J, et al. 423
Kurz-Isler G, see Wolburg H 397
Kutyna FA, see Patrickson JW, et al. 227
Lamarre Y, see Cooke JD, et al. 184
Landry P, Dykes RW: Identification of two populations of corticothalamic neurons in cat primary somatosensory cortex 289
Le Moal M, see Herman J-P, et al. 521
Leng G, see Bicknell RJ, et al. 192
Licata F, Occhipinti G, Santangelo F: Responses of cerebellar fastigal neurons to single muscle activation 127
Linden R, Pinto LH: Developmental genetics of the retina: evidence that the pearl mutation in the mouse affects the time course of natural cell death in the ganglion cell layer . 79
Luff AR, see Hatcher DD, et al. 590
Malmgren K, see Cavallari P, et al. 197
Maske R, see Yamane S, et al. 200
Massion J, see Dufossé M, et al. 330
Matsue H, see Kuchiiwa S, et al. 179
Matthews MA: Effects of neonatal intraocular colchicine on synaptogenesis and on the retention of the ipsilateral retinofugal projection within the superior colliculus 465
McKinley PA, Peterson BW: Voluntary modulation of the vestibuloocular reflex in humans and its relation to smooth pursuit 454
McLennan H, see Kehl SJ 299, 309
Mizuno N, see Takada M, et al. 385
Montero VM, Zempel J: Evidence of two types of GABA-containing interneurons in the A-laminae of the cat lateral geniculate nucleus: A double-label HRP and GABA-immunocytochemical study 603
Mouat GSV, see Hammond P 411
Nilsson OG, see Brundin P, et al. 204
Nornes H, see Foster GA, et al. 427
Occhipinti G, see Licata F, et al. 127
Ogawa H, see Hayama T, et al. 235
Okano K, see Kurata K, et al. 188
Okano K, see Tanji J, et al. 423
Olson L, see Henschen A, et al. 38
Olson L, see Strömberg I, et al. 335
Otani K, see Sugita S, et al. 564
Palmer AR, see King AJ 492
Patrickson JW, Bryant HJ, Kaderkaro M, Kutyna FA: A quantitative [^{14}C]-deoxy-D-glucose study of brain stem nuclei during horizontal nystagmus induced by lesioning the lateral crista ampullaris of the rat 227
Peterhans E, see Camarda RM, et al. 136, 151
Peterson BW, see McKinley PA 454
Pierrot-Deseilligny E, see Cavallari P, et al. 197
Pinault D, Pumain R: Ectopic action potential generation: its occurrence in a chronic epileptogenic focus 599
Pinto LH, see Linden R 79
Pumain R, see Pinault D 599
Qvist H, see Dietrichs E, et al. 483
Ramôa AS, Rocha-Miranda CE, Gawryszewski LG, Volchan E, Struchiner CJ: Visuotopic information conveyed by each eye to the opossum's superior colliculus 576
Rentschler I, Hilz R: Amblyopic processing of positional information. Part I: Vernier acuity 270
Rentschler I, see Weiss C, et al. 279
Rocha-Miranda CE, see Ramôa AS, et al. 576
Rudinger D, see Waespe W, et al. 243
Sabel, BA, Dunbar GL, Butler WM, Stein DG: GM1 gangliosides stimulate neuronal reorganization and reduce rotational asymmetry after hemitransections of the nigrostriatal pathway 27
Santangelo F, see Licata F, et al. 127
Sawada S, Higashima M, Yamamoto C: Inhibitors of high-affinity uptake augment depolarizations of hippocampal neurons induced by glutamate, kainate and related compounds 323
Schoppmann A: A developmental study of retinal afferents and visual responses in the cat pretectum 350
Schoppman A: Functional and developmental analysis of a visual corticopretectal pathway in the cat: a neuroanatomical and electrophysiological study 363
Schultzberg M, see Foster GA, et al. 427
Scobey RP, see Kan PLE van, et al. 559
Shindo M, see Cavallari P, et al. 197
Shiosaka S, see Yamano M, et al. 535
Shiotani Y, see Yamano M, et al. 535
Sittig AC, Denier van der Gon JJ, Gielen CCAM, van Wijk AJM: The attainment of target position during step-tracking movements despite a shift of initial position 407
Sittig AC, Denier van der Gon JJ, Gielen CCAM: Separate control of arm position and velocity demonstrated by vibration of muscle tendon in man 445
Skolasińska K, see Królicki L, et al. 551
Smith AT, Hammond P: The pattern specificity of velocity aftereffects 71
Smith AT, see Hammond P, et al. 411
Smith RL, see Frisina RD, et al. 417
Stein DG, see Sabel BA, et al. 27
Stenevi U, see Gage FH, et al. 584

Storm J, Hvalby Ø: Repetitive firing of CA1 hippocampal pyramidal cells elicited by dendritic glutamate: slow prepotentials and burst-pause pattern 10
Strömberg I, Herrera-Marschitz M, Ungerstedt U, Ebendal T, Olson L: Chronic implants of chromaffin tissue into the dopamine-denervated striatum. Effects of NGF on graft survival, fiber growth and rotational behavior 335
Struchiner CJ, see Ramôa AS, et al. 576
Sugimoto T, see Takada M, et al. 385
Sugita S, Otani K, Tokunaga A, Terasawa K: Distribution of the tecto-thalamic projection neurons in the hereditary microphthalmic rat 564
Sukekawa K, see Kuchiiwa S, et al. 179
Szabo T, see Elekes K 509
Takada M, Itoh K, Yasui Y, Sugimoto T, Mizuno N: Topographical projections from the posterior thalamic regions to the striatum in the cat, with reference to possible tecto-thalamo-striatal connections 385
Tanji J, Kurata K, Okano K: The effect of cooling of the supplementary motor cortex and adjacent cortical areas . . 423
Tanji J, see Kurata K, et al. 188
Terasawa K, see Sugita S, et al. 564
Thiesson D, see Guéritaud JP, et al. 542
Timney B, Elberger AJ, Vandewater ML: Binocular depth perception in the cat following early corpus callosum section 19
Tohyama M, see Yamano M, et al. 535
Tokunaga A, see Sugita S, et al. 564
Tyc-Dumont S, see Guéritaud JP, et al. 542
Ungerstedt U, see Strömberg I, et al. 335
Vandewater ML, see Timney B, et al. 19
Verhofstad AAJ, see Foster GA, et al. 427
Vertes RP, Wu PH: Potent depressant effects of adenosine analogs on hippocampal slow-wave activity in the unanaesthetized rat 48
Visser TJ, see Foster GA, et al. 427
Voigt HF, Young ED: Stimulus dependent neural correlation: an example from the cochlear nucleus 594
Volchan E, see Ramôa AS, et al. 576
Waespe W, Rudinger D, Wolfensberger M: Purkinje cell activity in the flocculus of vestibular neurectomized and normal monkeys during optokinetic nystagmus (OKN) and smooth pursuit eye movements 243
Waespe W, Wolfensberger M: Optokinetic nystagmus (OKN) and optokinetic after-responses after bilateral vestibular neurectomy in the monkey 263
Walter CB: Independent control of initial kinematics and terminal oscillations of rapid positioning movements 402
Weiss C, Rentschler I, Caelli T: Amblyopic processing of positional information. Part II: Sensitivity to phase distortion 279
Westerman RA, see Hatcher DD, et al. 590
Wijk AJM van, see Sittig AC, et al. 407
Winkelmann E, Garey LJ, Brauer K: Ultrastructural development of the dorsal lateral geniculate nucleus of genetically microphthalmic mice 527
Winterson BJ, Brauth SE: Direction-selective single units in the nucleus lentiformis mesencephali of the pigeon (*Columba livia*) 215
Wolburg H, Kurz-Isler G: Dynamics of gap junctions between horizontal cells in the goldfish retina 397
Wolfensberger M, see Waespe W 243, 263
Wu PH, see Vertes RP 48
Yamamoto C, see Sawada S, et al. 323
Yamane S, Maske R, Bishop PO: Properties of end-zone inhibition of hypercomplex cells in cat striate cortex 200
Yamano Y, Tohyama M, Shiosaka S, Shiotani Y, Inagaki S, Kito S: Leucine-Enkephalin-like immunoreactive fibers in the medial preoptic area of the rat: their distribution and origin 535
Yasui Y, see Takada M, et al. 385
Yeo CH, Hardiman MJ, Glickstein M: Classical conditioning of the nictitating membrane response of the rabbit. I. Lesions of the cerebellar nuclei 87
Yeo CH, Hardiman MJ, Glickstein M: Classical conditioning of the nictitating membrane response of the rabbit. II. Lesions of the cerebellar cortex 99
Yeo CH, Hardiman MJ, Glickstein M: Classical conditioning of the nictitating membrane response of the rabbit. III. Connections of cerebellar lobule HVI 114
Young ED, see Voigt HF 594
Zempel J, see Montero VM 603